

Mouse anti-Human CD14 mAb, PE

Product Data Sheet

PRODUCT INFORMATION

Catalog#/Size: GMH0142P-025/25 Tests

GMH0142P-100/100 Tests

Clone: GM2CD14
Isotype: Mouse IgG1
Reactivity: Human

Formulation: Phosphate-buffered solution,

pH 7.4, containing 0.09% sodium azide and 0.1% (w/v)

Storage: Store at 4°C. DO NOT

FREEZE. LIGHT SENSITIVE

DESCRIPTION

GM2CD14 reacts with CD14, a 53-55 kDa molecule. CD14 is a human high affinity cell-surface receptor for complexes of lipopolysaccharide (LPS-endotoxin) and serum LPS-binding protein (LPB). CD14 antigen has a strong presence on the surface of monocytes/macrophages, is weakly expressed on granulocytes, but not expressed by myeloid progenitor cells. CD14 functions as a receptor for endotoxin; when the monocytes become activated they release cytokines such as TNF, and up-regulate cell surface molecules including adhesion molecules.

APPLICATION AND USAGE

Applications: FO


Recommended

Usage:

Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For immunofluorescent staining, the suggested use of this reagent

is 10 µl per million cells or 10 µl per 100 µl of whole blood. It is recommended that the reagent be titrated for optimal

performance for each application.



Normal human peripheral blood monocytes analyzed with PE CD14 (GM2CD14) mAb.

RELATED PRODUCTS

Catalog#	Product Name	Applications
GMH0142F	Mouse anti-Human CD14, FITC	FC
GMH0142C	Mouse anti-Human CD14, PE-Cy5	FC
GMH0142A	Mouse anti-Human CD14, APC	FC
GMH0142Z	Mouse anti-Human CD14, Purified	FC
GMK901P	Mouse IgG1 Isotype control, PE	FC

REFERENCE

- 1. McMichael, AJ. et al., eds. (1987) Leucocyte Typing III: White Cell Differentiation Antigen, Oxford University Press, New York.
- 2. Jyaram Y, Hogg N . et al., eds. (1989) Leucocyte Typing IV: White Cell Differentiation Antigen. Oxford University Press, New York. 796-797.
- 3. Wright, SD. et al. (1990) Science 249:1434